



## SECTION 1 IDENTIFICATION

Product name: EVERLAST PREMIUM BLEND RV ANTIFREEZE

Product code: 025003123RVAFC116

Intended use: plumbing antifreeze

Manufacturer: SUPPLYPRO, LLC, 115 Empire Way SW, Atlanta, GA 30354

Emergency telephone numbers: INFOTRAC **1-352-323-3500 (International)****1-800-535-5053 (North America)**

## SECTION 2 HAZARDS IDENTIFICATION

GHS classification: Flammable liquid - Category 3; Eye irritation - Category 2B; Carcinogenicity - Category 2

GHS label elements:



Signal Word: Warning

Hazard Statements: Flammable liquid and vapour. Causes eye irritation. Suspected of causing cancer if swallowed.

PREVENTION: Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash hands and skin thoroughly after handling. Wear protective gloves and eye protection.

INTERVENTION: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. If exposed or concerned, get medical advice/attention.

Storage: Store in a well ventilated place. Keep cool. Keep containers tightly closed. Store locked up.

Disposal: Dispose of contents/containers following government regulations.

Aggravated medical conditions: None known.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

This material is defined as a mixture.

Chemical name	CAS #	Concentration
ethanol	64-17-5	10-30 %
1,2-propylene glycol	57-55-6	1-5 %

## SECTION 4 FIRST AID MEASURES

INHALATION: Remove source of exposure or move to fresh air. Call a Poison Control Centre or doctor if unwell.

SKIN CONTACT: Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts) and clean them. Wash skin thoroughly with warm flowing water and mild soap for 5 minutes. Call a Poison Control Centre or doctor if unwell.

EYE CONTACT: Immediately rinse the contaminated eye(s) with lukewarm gently flowing water for 15-20 minutes while holding the eyelid(s) open. If eye irritation persists, get medical advice or attention.

Most important symptoms and effects, acute and delayed: Treat symptomatically. Call a Poison Control Centre or doctor immediately if large quantities have been ingested or inhaled.

Medical conditions aggravated by exposure: Dermatitis.

Indications for immediate medical attention: Persistent symptoms.

## SECTION 5 FIRE FIGHTING MEASURES

Fire extinguishing agents: Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsafe fire extinguishing agents: None

Special hazards: Flammable liquid and vapour. Can ignite at room temperature. Releases vapour that can form explosive mixture with air. Can be ignited by static discharge. See Section 9 for flash point and explosive limits. Causes fire through friction. In a fire, carbon monoxide and carbon dioxide may be generated.

Advice to fire fighters: See Section 6 for information on responding to leaks/spills and Section 8 for advice on suitable protective materials.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

Methods and material for containment and cleaning up: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers and water courses. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal following government regulations. Use spark-proof tools. Use a licensed contractor to dispose of waste. Wear protective clothing.

## SECTION 7 HANDLING AND STORAGE

Precautions for safe handling: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof equipment and non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse containers.

Storage requirements: Store in accordance with local regulations. Store in a segregated and approved area. Store in original containers protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10), food and drink. Eliminate all sources of ignition. Keep away from oxidizing materials. Keep containers tightly closed until ready for use. Containers that have been opened must be carefully closed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## SECTION 8 EXPOSURE CONTROL / PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS #	ACGIH TLV		OSHA PEL		AIHA WEEL	
		TWA	STEL	TWA	ceiling	8-hr TWA	TWA
ethanol	64-17-5	1,000 ppm	1,000 ppm	1,000 ppm	unknown	unknown	unknown
1,2-propylene glycol	57-55-6	unknown	unknown	unknown	unknown	10 mg/m <sup>3</sup>	unknown

Appropriate engineering controls: Use non-sparking ventilation systems, approved explosion-proof equipment and intrinsically safe electrical systems in areas where this product is used and stored. Use only non-combustible materials for walls, floors, ventilation system, air cleaning devices, pallets, shelving. Provide eyewash and safety shower if contact or splash hazard exists.

Protective and hygienic measures: Use the standard precautionary measures for handling chemicals. Keep away from food and beverages. Wash hands before breaks and at the end of the day.

Respiratory protection: Not necessary if room is well-ventilated.

Skin protection: Wear nitrile rubber protective gloves, aprons and boots.

Eye protection: Wear safety glasses.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Property	Method	Value
color	visual	pink
relative density @ 20 °C	ASTM D5931	0.98
pH	ASTM D1287	7.5-8.5
auto-ignition temperature (°C)	ASTM E659	363
flash point (°C)	ASTM D92	35

## SECTION 10 STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions of use.

Hazardous reactions: Slightly reactive with oxidizing agents, strong acids and bases.

Conditions to avoid: Open flames, sparks, static discharge, heat and other ignition sources. Temperatures above 12.0 °C. Reactions with oxidizing agents, strong acids and bases.

Incompatible materials: No further relevant information available.

Hazardous products of decomposition: Carbon monoxide, carbon dioxide.

## SECTION 11 TOXICOLOGICAL INFORMATION

Likely routes of exposure: Inhalation, eye contact, ingestion.

Chemical name	LC50	LD50 (oral)	LD50 (dermal)
ethanol	21,000 mg/m <sup>3</sup> (mouse, 4-hour exposure)	3,450 mg/kg (mouse)	>15,800 mg/kg (rabbit)
1,2-propylene glycol	not available	14,800 mg/kg (rabbit)	20,800 mg/kg (rabbit)

Skin irritation: Human experience and animal tests show mild irritation.

Eye irritation: May cause serious eye irritation. Symptoms include sore, red eyes and tearing.

Respiratory or skin sensitization: Not known to be a respiratory or skin sensitizer.

STOT - single exposure: INHALATION: At high concentrations, may cause headaches, nausea, dizziness, drowsiness and confusion. Severe exposure can cause unconsciousness. SKIN ABSORPTION: At high concentrations, may cause mild irritation. INGESTION: May cause headaches, nausea, dizziness, drowsiness and confusion. Severe exposure can cause unconsciousness.

Carcinogenicity

Chemical name	IARC	ACGIH	NTP	OSHA
ethanol	group 1	A3	not listed	not listed
1,2-propylene glycol	not listed	not listed	not listed	not listed

Reproductive toxicity: DEVELOPMENT OF OFFSPRING: May cause decreased weight and soft tissue and skeletal defects. These effects are not considered relevant to occupational exposures. SEXUAL FUNCTION AND FERTILITY: May have negative effects on sexual function and/or fertility. These effects are not considered relevant to occupational exposures.

Germ cell mutagenicity: Causes mutagenicity in non-reproductive (somatic) cells in tests using live animals. These effects are not considered relevant to occupational exposures.

## SECTION 12 ECOLOGICAL INFORMATION

Aquatic toxicity/persistence and degradability/bioaccumulative potential/mobility in soil: No further relevant information available.

Additional information: Do not allow product to reach ground water, water course or sewage system.

## SECTION 13 DISPOSAL CONSIDERATIONS

Follow government regulations when disposing of empty containers.

## SECTION 14 TRANSPORTATION INFORMATION

International regulations:

- IATA-DGR and IMDG Code: Does not apply to this product.
- Annex II of MARPOL 73/78 and the IBC Code: Does not apply to this product.

TDG national regulations: Class 3.

## SECTION 15 REGULATORY INFORMATION

The components of this product are reported in the following inventories: DSL, NDSL, TSCA

## SECTION 16 OTHER INFORMATION

The information contained in this document is based on our present knowledge. This document does not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### ACRONYMS

**ACGIH** (American Conference of Governmental Industrial Hygienists), **AIHA** (American Industrial Hygiene Association), **CAS** (Chemical Abstracts Service), **DSL** (Domestic Substance List), **GHS** (Global Harmonization System), **IARC** (International Agency for Research on Cancer), **IATA-DGR** (International Air Transport Association Dangerous Goods Regulations), **IBC Code** (International Bulk Container Code), **IMDG Code** (International Maritime Dangerous Goods Code), **LC50** (Lethal Concentration that kills 50% of the population), **LD50** (Lethal Dose that kills 50% of the population), **NDSL** (Non-Domestic Substance List), **NTP** (National Toxicology Program), **OSHA** (Occupational Safety and Health Administration), **PEL** (Permissible Exposure Limit), **STEL** (Short Term Exposure Limit), **STEV** (Short Term Exposure Value), **STOT** (Specific Target Organ Toxicity), **TDG** (Transportation of Dangerous Goods), **TLV** (Threshold Limit Value), **TSCA** (Toxic Substances Control Act), **TWA** (Time Weighted Average), **WEEL** (Workplace Environmental Exposure Level), **WHMIS** (Workplace Hazardous Materials Information System)

Revised on July 15, 2020